Rosemary Lon. Silver Moon Cabin (Eldg. No. 381) Olympic Mational Park Barnes Foint, Lake Crescent Port Angeles Vicinity Clallam County Washington HABS No. WA-185-I HABS WASH 5-POANIV, 2I-

PHYTYCHRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA


Historic American Building Survey
National Park Service
Western Region
Department of the Interior
San Francisco, California 94107

HABS WASH 5-POANN, 21-

NATIONAL PARK SERVICE Department of the Interior

HISTORIC AMERICAN BUILDING SURVEY ARCHITECTURAL DATA FORM

STATE	COUNTY TOWN DR		TOWN DR VIC	VICINITY imately 20 miles southwest of	
WASHINGTON	CLALLAM		Port Angeles		
HISTORIC NAME OF STRUCTURE (In Rosemary Inn "Silver"	clude source for	rname)	HABS NO.	
	moon cabin uilding Invent			WA-185-I	
SECONDARY OR COMMON NAMES OF STRUCTURE					
R1dg. No. 381					
COMPLETE ADDRESS (for rural sites describe location) Barnes Point; south shore of Lake Crescent, north side of Hwy 101, approximately 20 miles from Port Angeles, in Olympic National Park.					
DATE OF CONSTRUCTION (Include source) Mid-to-late 1920s (Historic Building Builder and Craftsman:				de source)	
Inventory)		John Daum (HRS, 1983)			
SIGNIFICANCE (architectural and historical, include original use of structure) This cabin was constructed as an integral part of the Rosemary Inn Complex. It contributes to the overall character of the rustic, picturesque resort ensemble and possesses integrity of design, materials, workmanship, location, setting, feeling and association.					
STYLE (if appropriate)					
Craftsman-style cottage					
MATERIAL OF CONSTRUCTION (include structural systems) Wood-frame construction set on 6 x 6 posts on concrete piers.					
SHAPE AND DIMENSIONS OF STRUCTURE (sketched floor plans on separate sheet acceptable) L-shape: 17' x 16'					
l-story; wood-shingled gable roof with extended eaves and exposed rafter ends; decorative knee braces at gable ends; staggered wood shingle siding with vertical boards above at gable ends (boards staggered); multi-paned casement sash flanked by sidelights; multi-paned hinged sash; plain fascia and corner boards; sill board with lattice skirting below; entry porch on south facade with lattice screening.					
INTERIOR FEATURES OF NOTE (describe floor plans if not sketched)					
Painted floor boards; 5 1/2" vertical, bevelled wainscotting on walls.					
MAJOR ALTERATIONS AND ADDITIONS, WITH DATES					
	•			·	
PRESENT CONDITION AND USE					
Fair; Vacant					
OTHER INFORMATION AS APPROPRIATE					
SOURCES OF INFORMATION (include listing on National Register, State Registers, etc.) Historic Structure Report, 1986 Historic Resource Study, 1983 Historic 8uilding Inventory, 1983					
COMPILER, AFFILIATION		·		DATE	
Grotchen & Luvenherg Nationa	1 Park Service	١		July, 1988	





Silver Moon Building #381